Delaware Compensation Rating Bureau, Inc.



The Widener Building • 6th Floor One South Penn Square Philadelphia, PA 19107-3577 (302) 654-1435 (215) 568-2371 FAX (215) 564-4328 www.dcrb.com

December 1, 2006

BUREAU CIRCULAR NO. 811

To All Members of the Bureau:

Re: WORKERS COMPENSATION RESIDUAL MARKET RATES

AND VOLUNTARY MARKET LOSS COSTS

EFFECTIVE DECEMBER 1, 2006

AMENDED BUREAU FILING NO. 0604

Bureau Filing No. 0604, as originally submitted, proposed average increases of 6.72 percent in residual market rates and 4.05 percent in voluntary market loss costs to be effective on a new and renewal basis as of December 1, 2006.

The Department of Insurance performed an extensive review of Bureau Filing No. 0604. At the conclusion of that review, the Department of Insurance and the Bureau exchanged opinions and perspectives concerning a limited number of technical issues related to the filing and reviews of the filing that had been done by two consulting actuaries. At the conclusion of that exchange, it was agreed that the Bureau would make and the Department of Insurance would approve an amended filing requesting an average increase of 2.57 percent in residual market rates and no overall average change in voluntary market loss costs to be effective on a new and renewal basis as of December 1, 2006.

All members are advised that the amended filing as agreed has now been submitted and approved by the Department of Insurance.

Members are hereby reminded that they must file an amended (or re-file their existing) Insurer Adoption of DCRB Workers' Compensation Loss Costs form with the Delaware Department of Insurance to adopt the revised loss costs on a new and renewal basis on or after December 1, 2006. A copy of the Department of Insurance's "FORMS AND RATES BULLETIN 14 INCORPORATED," which includes forms applicable to these filings, is attached for member reference and use. The Bureau has been advised that the Department of Insurance WILL accept carrier filings with effective dates of December 1, 2006 in response to the adjudication of Bureau Filing No. 0604, generally applicable requirements to the contrary notwithstanding.

The following chart indicates the approved overall average changes in rating values:

Rating Value(s)

Approved Overall Average Change

Residual Market Rates – Collectible Residual Market Rates - Manual +2.57%

+0.49%

Rating Value(s)	Approved Overall Average Change
Voluntary Market Loss Costs - Collectible	0.00%
Voluntary Market Loss Costs - Manual	-3.03%
Voluntary Market Loss Costs -	
Manual after Surcharge Offset	-1.77%

The approved residual market rates and voluntary market loss costs share common loss provisions based on the same loss development and trend analysis applied to statewide Delaware experience. The differences between residual market rate changes and voluntary market loss cost changes result from revisions in expense provisions based on recent indications, as compared to currently approved values.

The implied loss cost multiplier reflecting expense considerations for <u>current</u> residual market rates is approximately <u>1.3371</u>. On a comparable basis the implied loss cost multiplier for <u>approved</u> residual market rates effective December 1, 2006 is <u>1.3714</u>. (Note: Because voluntary market loss costs in the approved filing are nominally reduced to offset effects of the ongoing Delaware Insurance Plan surcharge program, calculation of residual market rates from approved voluntary market loss costs requires an effective multiplier of approximately 1.4045.)

A comparison of current and approved December 1, 2006 residual market expense provisions is shown below:

RESIDUAL MARKET RATES

Expense Loading

	Current <u>Percentage</u>	Approved December 1, 2006 <u>Percentage</u>
LOSS AND LOSS ADJUSTMENT EXPENSE		
Losses Loss Adjustment Expense Loss & Loss Adjustment	64.65 7.64 72.29	63.32 7.19 a 70.51
UNDERWRITING EXPENSES		
Commission Other Acquisition General Expenses Premium Discount State Premium Tax Other State Tax Uncollectible Premium Administrative Assessment Workers Compensation Fund Deviations Policyholder Dividends Underwriting Profit	7.50 2.42 3.00 10.81 2.00 0.32 1.00 2.50 2.00 0.00 0.00	7.49 2.81 3.35 11.05 2.00 0.32 1.00 2.41 b 3.00 0.00 0.00 -3.94
Underwriting Expense Total	27.71	29.49

a As ratio to loss, loss adjustment expense = 0.1135

b As ratio to loss, administrative assessment = 0.0381

Attached for member reference is a table of rates, loss costs and expected loss factors by classification consistent with the Insurance Commissioner's approval of Filing No. 0604.

Other components of the filing were also approved as filed effective December 1, 2006. In particular, each of the following components of the filing were approved as originally presented:

- Updates to corporate officer payroll minimums and maximums for premium computation purposes
- Continuation of the existing DIP surcharge program
- DCCPAP revisions to qualifying wage table effective June 1, 2007
- Residual market expense constant
- Residual market minimum premium formula
- Excess loss factors
- Excess loss premium factors
- Retrospective rating
- Small Deductible Program
- State and hazard group relativities
- Workplace Safety Program
- Merit Rating Plan
- Revisions of hazard group assignments by classification

ADDITIONAL REVISIONS TO RATING VALUES

Bureau Filing No. 0604 proposed revision to various rating values in addition to residual market rates and voluntary market loss costs. For ease of reference and to confirm the approved values for those items they are reproduced below.

Corporate Officer Payrolls

The minimum individual payroll for an executive officer is increased from \$400 per week to **\$450** per week.

The maximum individual payroll for an executive officer is increased from \$2,050 per week to **\$2,150** per week.

Residual Market Premium Discount Table (unchanged from current table)

Premium Range		<u>Schedule Y</u>
First	\$ 5,000	0.0%
Next	\$ 95,000	10.9%
Next	\$ 400,000	12.6%
Over	\$ 500,000	14.4%

Residual Market Expense Constant

The expense constant is increased from \$250 to \$260.

Retrospective Rating Values (Other than USL&HW Coverages)

Residual Market Tax Multiplier

IV

The residual market tax multiplier is **1.1153**.

Optional Loss Development Factors (unlimited basis)				
First Adjustment	0.6601			
Second Adjustment	0.5676			
Third Adjustment	0.4783			
State & Hazard Group Relativities				
Hazard Group I	1.302			
II	1.053			
	0.720			

Small Deductible Program Loss Elimination Ratios and Premium Credits

These loss elimination ratios and premium credits respectively are changed from current levels consistent with Bureau Filing No. 0604. The values are presented below for ease of reference.

0.502

Deductible Level	Loss Elimination Ratio	Premium Credit
500	0.020	0.015
1,000	0.040	0.035
1,500	0.055	0.045
2,000	0.065	0.055
2,500	0.075	0.065
3,000	0.080	0.070
3,500	0.090	0.075
4,000	0.095	0.080
4,500	0.100	0.085
5,000	0.105	0.090

<u>Delaware Construction Classification Premium Adjustment Program</u>: **Effective June 1, 2007**<u>Average Hourly Wage</u> <u>DCCPAP Credit</u>

\$16.99	or less	0%
\$17.00	\$17.40	5%
\$17.41	\$17.85	6%
\$17.86	\$18.30	7%
\$18.31	\$18.75	8%
\$18.76	\$19.25	9%
\$19.26	\$19.75	10%
\$19.76	\$20.25	11%
\$20.26	\$20.80	12%
\$20.81	\$21.35	13%
\$21.36	\$21.90	14%
\$21.91	\$22.45	15%
\$22.46	\$23.05	16%

Delaware Construction Classification Premium	Adjustment Program:	Effective June 1, 2007
Average Hourly Wage	-	DCCPAP Credit

		
\$23.06	\$23.70	17%
\$23.71	\$24.35	18%
\$24.36	\$25.00	19%
\$25.01	\$25.65	20%
\$25.66	\$26.35	21%
\$26.36	\$27.10	22%
\$27.11	\$27.85	23%
\$27.86	\$28.65	24%
Over	\$28.65	25%

In addition to the above rating values, the filing included Excess Loss Premium Factors and Excess Loss Pure Premium Factors, both including and excluding Loss Adjustment Expense. Tables of the approved values are attached to this circular.

Complete Manual pages consistent with the Insurance Commissioner's approval of Bureau Filing No. 0604 will be available on the Bureau website (www.dcrb.com) as soon as possible.

Any questions concerning this circular may be addressed to Michael J. Doyle, Chief Actuary, at Extension 4480 or mdoyle@dcrb.com or me at Extension 4413 or twisecarver@dcrb.com.

Timothy L. Wisecarver President

kg D Circ Attachments

Remember to visit our web site at www.dcrb.com for more information about this and other topics.

STATE OF DELAWARE DEPARTMENT OF INSURANCE

FORMS AND RATES BULLETIN 14 INCORPORATED

	Submission Date:
D	CRB Reference Filing No.:
Applicable to policies effective on a	and after:
INSURER NAME:	
INSURER NAIC NO.:	INDICATED MULTIPLIER:
Compensation Rating Bureau ("D	that it is a member or subscriber of the Delaware CRB"). The insurer hereby files to be deemed to its own filing the prospective loss costs in the
Delaware Insurance Department a above, along with any expense co	nbination of the DCRB loss costs approved by the and the company's indicated multiplier, as shown ntract, premium discount table, size-of-premium rating plans, and minimum premium formula d manual exception pages.
and the minimum premium form	th any expense constant, premium discount table nula filed, represent a rate level increase a premium level increase or decrease
reference filing indicated above.	attached exception pages apply only to the DCRB The insurer understands that this will necessitate form and exception pages prior to the effective

date of any future loss costs reference filing.

CHECK ALL THAT APPLY:	
Manual exception pages attached for:	
Minimum Premium Formula	Expense Constant
Discount Table	Retro Expense Table

SUMMARY OF SUPPORTING INFORMATION WORKERS' COMPENSATION LOSS COST MULTIPLIER

Insur	er:	NAIC No.:			
	B Reference Filing No.:				
	tive Date of Multiplier:				
Liice	are Date of Wattpiler.				
Deve	lopment of Expected Loss Ratio (Expre	essed as a percer	at of standard pren	nium at company rat	e):
		AVE	RAGE		
A.	Commission		%		
В.	Other Acquisition		%		
C.	General Expense		%		
D.	Taxes, Licenses and Fees		 %		
E.	Underwriting Profit &				
٠.	Contingencies		%		
F.	Residual Market Costs		%		
G.	Premium Discount				
H.	Insurance Fund Assessment				
	(Second Injury Fund)		%		
I.	Dividend Provision		, · -		
	(Participating Plan)		%		
J.	Other (Explain)		%		
K.	Total		%		
					
Expe	cted Loss Ratio (100%-K)		%		
Actu:	al Incurred Expense Ratios for three (3 at of written premium at company rat	3) most recent av es. Other compo	ailable years. (Con onents expressed as	mmission and General percents of standar	al Expense expressed as d earned premium at
comp	any rates).				
		CY	CY	CY	AVERAGE
	·	- <u> </u>	<u> </u>	·	
A.	Commission				
В.	Other Acquisition				
C.	General Expense				
D.	Taxes, Licenses & Fees				
E.	Underwriting Profit				
	& Contingencies				
F.	Residual Market Costs				
G.	Premium Discount				
H.	Insurance Fund Assessment				
I.	(Second Injury Fund)				
J.	Dividend Plan				
	(Participating Plan)				
K.	Other (Explain)				
L.	Total				
Indic	ated Company Loss Cost Multiplier:_				
_	* * * * * * * * * * * * * * * * * * *	D. 41- 1- 0 450			
Exan	nple: Assume Loss and Loss Adjustme				
	Loss Cost Multiplier with no dev			. 2077	
	Loss Cost Multiplier with 15% d				
	Loss Cost Multiplier with 15% u	pwara aeviation	15 1.15/0.650 = 1.76	DYZ.	
CON	IPLETED BY:		गुग्रह ों ।	EPHONE NO.:	
CUN	H LELEV D1			DE 11014D 140"	

NOTE: If an insurer wishes to make any modifications to the loss costs led by DCRB (other than the application of a multiplier to represent the insurer's expenses, profit and contingencies), the resulting rates will be considered to be independent rates, and shall be subject to the 30 day review provision of Title 18 <u>Del. C.</u>, Section 2610.

REVISED LOSS COST MULTIPLIER CALCULATION SPREADSHEET TO BE INCORPORATED WITH BULLETIN 14

Workers' Compensation Insurance Loss Cost Multiplier General Instructions

Commissions, premium tax and other state tax provisions are to reflect the ratio of commissions paid, premium tax paid and other state tax paid to company manual premium.

Other acquisition and general expense are to reflect the ratio of other acquisition expense paid and general expense paid to company standard earned premium. Standard earned premium is to reflect adjustment for expense constant premium schedule rating premium.

Dividend Provision (Participating Plan)

Loss cost multipliers for use with participating policies shall contain a provision for policyholder dividends. Policyholder dividends shall reflect the ratio of policyholder dividends paid to company standard earned premium adjusted to reflect expense constant premium and schedule rating premium.

Standard earned premium shall be adjusted reflecting an assumed underlying expense constant equal to the most recently filed expense constant by Delaware Compensation Rating Bureau.

Deviations

Deviation from indicated manual rates shall reflect adjusted company losses compared to Delaware Compensation Rating Bureau to the extent credible. Losses shall be provided separately for indemnity and medical coverages. Losses may be either calendar year losses with all IBNR or policy year incurred losses developed to ultimate settlement. If the company elects to submit policy year loss data, it is required to provide underlying loss development triangles for indemnity and medical coverages separately.

Insurance Fund Assessment (Second Injury Fund)

Insurance Fund Assessment to be used with revised rates will be provided by Delaware Compensation Rating Bureau in its circular letter detailing changes to loss costs and other rating elements.

Revised Loss Cost Multiplier Calculation Spreadsheet Page 2

Administrative Assessment

Administration Assessment will continue to be built into voluntary market loss costs.

Expense Exhibits identified as (I) or (II) shall be completed and underlying supporting data shall accompany the company loss cost multiplier filing. Multipliers shall be filed reflecting most recent expense data, with each Delaware Compensation Rating Bureau loss cost revision. Failure to provide complete expense exhibits and provide underlying support shall result in disapproval of the proposed company filing and company(s) will be filed by reference for residual market rates and rating elements. All reference filings of this type shall remain in effect until the next subsequent Delaware Compensation Rating Bureau revision of loss costs.

- **NOTES:** (1) Commissions, premium tax, license and fees are to be calculated as a percentage of company manual premium. Other acquisition and general administrative expense are to be calculated as a percentage of standard earned premium and standard earned premium is required to be adjusted to reflect schedule rating and expense constant.
- (2) Insurers having previously filed and are currently using rating tiers within the same company or have company rate differentials in effect may continue to use them until further notice.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

		proved Effective Dece					
CODE	BUREAU*	ASSIGNED	ASSIGNED		ERIENCE RA		U 4 7
NO	ADVISORY LOSS COSTS	RISK MANUAL RATE	RISK MIN PREM.	A-1	A-2	CTORS TABLE** A-3	HAZ GRP
110	2000 00010	INATE	i illii.	Α.	A 2	7.0	Oiti
005	26.73	37.54	3,450	6.66	8.04	9.02	Ш
0006	8.39	11.79	1,555	2.09	2.53	2.83	II
007	9.31	13.06	3,135	2.32	2.80	3.14	Ш
8000	3.56	5.00	1,360	0.89	1.07	1.20	II
009	42.75	60.03	3,450	10.64	12.86	14.43	III
0011	5.47	7.69	1,950	1.36	1.65	1.85	Ш
0012	7.84	11.01	2,680	1.95	2.36	2.65	II
0013	6.49	9.11	2,265	1.62	1.95	2.19	II
015	31.93	44.84	3,450	7.95	9.61	10.78	III
0016	5.51	7.73	1,110	1.37	1.66	1.86	I
028	6.92	9.73	2,400	1.64	1.82	2.03	Ш
0034	7.79	10.94	1,465	1.94	2.34	2.63	II
0036	7.63	10.72	1,440	1.90	2.30	2.58	II
055	8.50	11.95	2,890	2.01	2.24	2.49	III
059	6.67	9.37	2,320	1.58	1.75	1.95	III
0083	9.21	12.94	1,685	2.29	2.77	3.11	Ш
101	6.67	9.37	2,320	1.62	1.86	2.01	Ш
104	4.86	6.83	1,765	1.18	1.36	1.47	II
105	6.72	9.44	2,335	1.63	1.88	2.03	III
106	8.90	12.51	3,010	2.16	2.49	2.69	II
107	5.29	7.43	1,895	1.28	1.48	1.59	II
108	6.74	9.47	2,345	1.64	1.88	2.03	II
109	8.30	11.66	2,825	2.02	2.32	2.50	Ш
110	5.72	8.04	2,030	1.39	1.60	1.73	II
111	7.05	9.89	2,435	1.71	1.97	2.12	II
112	13.10	18.40	3,450	3.18	3.66	3.95	II
113	6.41	9.01	2,240	1.56	1.79	1.93	II
114	14.62	20.52	3,450	3.55	4.08	4.41	III
115	3.11	4.37	1,220	0.75	0.87	0.94	II
119	9.61	13.51	3,230	2.34	2.69	2.90	II
130	8.17	11.47	2,785	1.98	2.28	2.46	Ш
132	3.73	5.24	1,415	0.91	1.04	1.12	II
134	3.67	5.16	1,395	0.89	1.03	1.11	II
135	4.71	6.62	1,715	1.15	1.32	1.42	II
136	4.08	5.72	1,520	0.99	1.14	1.23	II
139	8.60	12.07	2,915	2.09	2.40	2.59	II
141	7.84	11.01	2,680	1.90	2.19	2.36	II
142	4.30	6.05	1,590	1.05	1.20	1.30	II
161	4.53	6.36	1,660	1.10	1.27	1.36	II
163	5.15	7.22	1,850	1.25	1.44	1.55	II
165	7.60	10.67	2,605	1.85	2.12	2.29	Ш
166	4.50	6.32	1,650	1.09	1.26	1.36	II
185	4.86	6.83	1,765	1.18	1.36	1.47	II
187	5.29	7.43	1,895	1.28	1.48	1.59	II
191	4.53	6.36	1,660	1.10	1.27	1.36	II

Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

BUREAU ASSIGNED ASSIGNED CODE AND STATE AVECTED LOSS FACTORS TABLE HAZ RATE RATE			ASSIGNED					
NO	CODE							U 4 7
201 6.37 8.95 2.230 1.55 1.78 1.92 II								
204 4.79								
205 4.98 6.99 1.800 1.21 1.39 1.50 II 221 6.14 8.63 2.160 1.49 1.72 1.85 II 222 7.25 10.18 2.500 1.76 2.03 2.19 II 225 6.08 8.54 2.140 1.48 1.70 1.83 II 227 6.35 8.92 2.220 1.54 1.77 1.91 II 255 5.44 7.64 1.940 1.32 1.52 1.64 II 257 7.05 9.89 2.435 1.71 1.97 2.12 II 259 4.99 7.00 1.800 1.21 1.39 1.50 II 261 8.50 11.95 2.890 2.07 2.38 2.50 2.63 5.70 8.00 2.020 1.38 1.59 1.72 II 265 5.58 7.84 1.985 1.36 1.56 1.88 II 276 7.25 10.18 2.500 1.76 2.03 2.19 II 282 7.91 11.11 2.705 1.92 2.21 2.39 II 282 7.91 11.11 2.705 1.92 2.21 2.39 II 285 4.54 6.38 1.665 1.945 1.32 1.52 1.64 II 297 4.15 5.82 1.540 1.01 1.16 1.25 II 287 4.54 6.38 1.665 1.94 1.01 1.16 1.25 II 297 4.15 5.82 1.540 1.01 1.16 1.25 II 297 4.15 5.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83 2.83	201	6.37	8.95	2,230	1.55	1.78	1.92	II
221	204	4.79	6.73	1,740	1.16	1.34	1.44	II
222 7.25 10.18 2.500 1.76 2.03 2.19	205	4.98	6.99	1,800	1.21	1.39	1.50	II
225 6.08 8.54 2.140 1.48 1.70 1.83 II	221	6.14	8.63	2,160	1.49	1.72	1.85	II
227	222	7.25	10.18	2,500	1.76	2.03	2.19	II
255 5.44 7.64 1,940 1.32 1.52 1.64 II 257 7.05 9.89 2,435 1.71 1.97 2.12 II 259 4.99 7.00 1,800 1.21 1.39 1.50 II 261 8.50 11.95 2.890 2.07 2.38 2.56 II 263 5.70 8.00 2.020 1.38 1.59 1.72 II 265 5.58 7.84 1,985 1.36 1.56 1.68 II 276 7.25 10.18 2,500 1.76 2.03 2.19 II 281 4.15 5.82 1,540 1.01 1.16 1.25 II 282 7.91 11.11 2.705 1.92 2.21 2.39 III 285 4.54 6.38 1.665 1.10 1.27 1.37 II 287 5.45 7.66 1.945 1	225	6.08	8.54	2,140	1.48	1.70	1.83	Ш
257 7.05 9.89 2.435 1.71 1.97 2.12 II 259 4.99 7.00 1.800 1.21 1.39 1.50 II 1.50 II 1.50 1.50 1.50 II 1.50 1.50 1.50 1.50 1.50 1.50 1.50 II 1.50 1.50 1.50 II 1.50	227	6.35	8.92	2,220	1.54	1.77	1.91	II
259 4.99 7.00 1,800 1.21 1.39 1.50 II	255	5.44	7.64	1,940	1.32	1.52	1.64	II
261 8.50 11.95 2.890 2.07 2.38 2.56 II 263 5.70 8.00 2.020 1.38 1.59 1.72 II 265 5.58 7.84 1.985 1.36 1.56 1.68 II 275 6.14 8.63 2.160 1.49 1.72 1.85 II 276 7.25 10.18 2.500 1.76 2.03 2.19 II 281 4.15 5.82 1.540 1.01 1.16 1.25 II 282 7.91 11.11 2.705 1.92 2.21 2.39 III 285 4.54 6.38 1.665 1.10 1.27 1.37 II 287 5.45 7.66 1.945 1.32 1.52 1.64 II 297 4.15 5.82 1.540 1.01 1.16 1.25 II 301 10.79 15.16 3.450 2.62 3.02 3.25 III 305 11.84 16.64 3.450 2.62 3.02 3.25 III 306 6.98 9.81 2.420 1.70 1.95 2.11 II 309 5.74 8.06 2.035 1.39 1.60 1.73 II 310 6.03 8.47 2.125 1.47 1.69 1.82 II 311 6.03 8.47 2.125 1.47 1.69 1.82 II 312 8.19 11.49 2.790 1.99 2.29 2.47 II 313 8.19 11.49 2.790 1.99 2.29 2.47 II 323 4.41 6.19 1.620 1.07 1.23 1.33 I 327 5.58 7.84 1.985 1.36 1.56 1.68 II 403 5.01 7.04 1.810 1.22 1.40 1.51 III 404 7.30 10.25 2.515 1.77 2.04 2.20 III 406 8.43 11.84 2.865 2.05 2.36 2.54 III 413 11.96 16.79 3.450 2.90 3.34 3.61 III 415 6.86 9.63 2.380 1.67 1.92 2.07 III 416 13.71 1.926 3.450 2.90 3.34 3.61 III 417 6.60 9.27 2.300 1.60 1.85 1.99 III 418 1.106 15.54 3.450 2.90 3.33 3.83 4.13 III 427 6.62 9.31 2.310 1.61 1.85 2.00 III 429 8.52 11.98 2.895 2.07 2.38 2.57 III 431 11.06 15.54 3.450 2.69 3.09 3.34 III 433 6.54 9.18 2.280 1.59 1.83 1.97 III	257	7.05	9.89	2,435	1.71	1.97	2.12	II
263 5.70 8.00 2.020 1.38 1.59 1.72 II 265 5.58 7.84 1.985 1.36 1.56 1.68 II 276 7.25 10.18 2.500 1.76 2.03 2.19 II 281 4.15 5.82 1.540 1.01 1.16 1.25 II 282 7.91 11.11 2.705 1.92 2.21 2.39 III 285 4.54 6.38 1.665 1.10 1.27 1.37 II 287 5.45 7.66 1.945 1.32 1.52 1.64 II 297 4.15 5.82 1.540 1.01 1.16 1.25 II 297 4.15 5.82 1.540 1.01 1.16 1.25 II 301 10.79 15.16 3.450 2.62 3.02 3.25 III 305 11.84 16.64 3.450 2.88 3.31 3.57 II 306 6.98 9.81 2.420 1.70 1.95 2.11 II 309 5.74 8.06 2.035 1.39 1.60 1.73 II 311 6.03 8.47 2.125 1.47 1.69 1.82 II 319 8.19 11.49 2.790 1.99 2.29 2.47 II 323 4.41 6.19 1.620 1.07 1.23 1.33 I 327 5.58 7.84 1.985 1.36 1.25 1.84 II 402 9.48 13.32 3.190 2.30 2.65 2.86 III 403 5.01 7.04 1.810 1.22 1.40 1.51 II 404 7.30 10.25 2.515 1.77 2.04 2.20 III 406 8.43 11.84 2.865 2.05 2.36 2.54 III 417 418 1.96 16.79 3.450 2.90 3.34 3.61 III 418 428 439 3.450 3.33 3.83 4.13 II 419 410.94 15.37 3.450 2.90 3.34 3.61 III 410 47.30 10.25 2.515 1.77 2.04 2.20 III 411 14.76 20.73 3.450 2.90 3.34 3.61 III 412 10.94 15.37 3.450 2.90 3.34 3.61 III 413 11.96 16.79 3.450 2.90 3.34 3.61 III 429 8.52 11.98 2.895 2.07 2.38 2.57 III 431 11.06 15.54 9.18 2.895 2.07 2.38 2.51 II 433 6.54 9.18 2.280 1.59 1.83 1.97 II 435 8.34 11.71 2.835 2.02 2.33 2.51 II	259	4.99	7.00	1,800	1.21	1.39	1.50	II
265 5.58 7.84 1,985 1.36 1.56 1.68 II 275 6.14 8.63 2,160 1.49 1.72 1.85 II 276 7.25 10.18 2,500 1.76 2.03 2.19 II 281 4.15 5.82 1,540 1.01 1.16 1.25 II 282 7.91 11.11 2.705 1.92 2.21 2.39 III 285 4.54 6.38 1,665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.62 3.02 3.25 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2.035 <	261	8.50	11.95	2,890	2.07	2.38	2.56	Ш
265 5.58 7.84 1,985 1.36 1.56 1.68 II 276 7.25 10.18 2,500 1.76 2.03 2.19 II 281 4.15 5.82 1,540 1.01 1.16 1.25 II 282 7.91 11.11 2,705 1.92 2.21 2.39 III 285 4.54 6.38 1,665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.62 3.02 3.25 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2.035 <	263	5.70	8.00	2,020	1.38	1.59	1.72	II
276 7.25 10.18 2,500 1.76 2.03 2.19 II 281 4.15 5.82 1,540 1.01 1.16 1.25 II 282 7.91 11.11 2,705 1.92 2.21 2.39 III 285 4.54 6.38 1,6665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 III 301 10.79 15.16 3.450 2.62 3.02 3.25 III 305 11.84 16.64 3.450 2.62 3.02 3.25 III 306 6.98 9.81 2.420 1.70 1.95 2.11 II 309 5.74 8.06 2.035 1.39 1.60 1.73 II 319 8.19 11.49 2.790	265	5.58	7.84	1,985	1.36	1.56	1.68	II
276 7.25 10.18 2,500 1.76 2.03 2.19 II 281 4.15 5.82 1,540 1.01 1.16 1.25 II 282 7.91 11.11 2,705 1.92 2.21 2.39 III 285 4.54 6.38 1,665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 III 301 10.79 15.16 3.450 2.62 3.02 3.25 III 305 11.84 16.64 3.450 2.62 3.02 3.25 III 306 6.98 9.81 2.420 1.70 1.95 2.11 II 309 5.74 8.06 2.035 1.39 1.60 1.73 II 319 8.19 11.49 2.790		6.14			1.49			
282 7.91 11.11 2,705 1.92 2.21 2.39 III 285 4.54 6.38 1,665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 320 5.58 7.84 1,985 <t< td=""><td>276</td><td>7.25</td><td></td><td></td><td>1.76</td><td>2.03</td><td>2.19</td><td>II</td></t<>	276	7.25			1.76	2.03	2.19	II
282 7.91 11.11 2,705 1.92 2.21 2.39 III 285 4.54 6.38 1,665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 3227 5.58 7.84 1,985 <	281	4.15	5.82	1,540	1.01	1.16	1.25	Ш
285 4.54 6.38 1,665 1.10 1.27 1.37 II 287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 311 6.03 8.47 2,125 1.47 1.69 1.82 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 3227 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 <								Ш
287 5.45 7.66 1,945 1.32 1.52 1.64 II 297 4.15 5.82 1,540 1.01 1.16 1.25 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 404 7.30 10.25 2,515 <								
297 4.15 5.82 1,540 1.01 1.16 1.25 II 301 10.79 15.16 3,450 2.62 3.02 3.25 III 305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 311 6.03 8.47 2,125 1.47 1.69 1.82 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>								
305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 311 6.03 8.47 2,125 1.47 1.69 1.82 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>II</td></t<>								II
305 11.84 16.64 3,450 2.88 3.31 3.57 II 306 6.98 9.81 2,420 1.70 1.95 2.11 II 309 5.74 8.06 2,035 1.39 1.60 1.73 II 311 6.03 8.47 2,125 1.47 1.69 1.82 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 <t< td=""><td>301</td><td>10.79</td><td>15.16</td><td>3,450</td><td>2.62</td><td>3.02</td><td>3.25</td><td>III</td></t<>	301	10.79	15.16	3,450	2.62	3.02	3.25	III
309 5.74 8.06 2,035 1.39 1.60 1.73 II 311 6.03 8.47 2,125 1.47 1.69 1.82 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 <	305	11.84	16.64	3,450	2.88	3.31	3.57	II
311 6.03 8.47 2,125 1.47 1.69 1.82 II 319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 415 6.86 9.63 2,380	306	6.98	9.81	2,420	1.70	1.95	2.11	II
319 8.19 11.49 2,790 1.99 2.29 2.47 II 323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37	309	5.74	8.06	2,035	1.39	1.60	1.73	II
323 4.41 6.19 1,620 1.07 1.23 1.33 I 327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450	311	6.03	8.47	2,125	1.47	1.69	1.82	II
327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450	319	8.19	11.49	2,790	1.99	2.29	2.47	Ш
327 5.58 7.84 1,985 1.36 1.56 1.68 II 402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450	323	4.41	6.19	1,620	1.07	1.23	1.33	- 1
402 9.48 13.32 3,190 2.30 2.65 2.86 III 403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450								II
403 5.01 7.04 1,810 1.22 1.40 1.51 II 404 7.30 10.25 2,515 1.77 2.04 2.20 III 406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 <td></td> <td>9.48</td> <td>13.32</td> <td></td> <td></td> <td></td> <td></td> <td>Ш</td>		9.48	13.32					Ш
406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450<	403	5.01	7.04		1.22	1.40	1.51	II
406 8.43 11.84 2,865 2.05 2.36 2.54 III 407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450<	404	7.30	10.25	2,515	1.77	2.04	2.20	Ш
407 6.60 9.27 2,300 1.60 1.85 1.99 II 411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 <td>406</td> <td>8.43</td> <td></td> <td>2,865</td> <td>2.05</td> <td></td> <td></td> <td>Ш</td>	406	8.43		2,865	2.05			Ш
411 14.76 20.73 3,450 3.58 4.12 4.45 III 413 11.96 16.79 3,450 2.90 3.34 3.61 III 415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 </td <td>407</td> <td>6.60</td> <td>9.27</td> <td>2,300</td> <td>1.60</td> <td>1.85</td> <td>1.99</td> <td>II</td>	407	6.60	9.27	2,300	1.60	1.85	1.99	II
415 6.86 9.63 2,380 1.67 1.92 2.07 III 416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	411	14.76	20.73	3,450	3.58	4.12	4.45	III
416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	413	11.96	16.79	3,450	2.90	3.34	3.61	Ш
416 13.71 19.26 3,450 3.33 3.83 4.13 II 421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	415	6.86	9.63	2,380	1.67	1.92	2.07	Ш
421 10.94 15.37 3,450 2.66 3.06 3.30 III 425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II								
425 12.97 18.22 3,450 3.15 3.63 3.91 III 427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	421							Ш
427 6.62 9.31 2,310 1.61 1.85 2.00 III 429 8.52 11.98 2,895 2.07 2.38 2.57 III 431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II								
431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	427							Ш
431 11.06 15.54 3,450 2.69 3.09 3.34 II 433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	429	8.52	11.98	2,895	2.07	2.38	2.57	Ш
433 6.54 9.18 2,280 1.59 1.83 1.97 II 435 8.34 11.71 2,835 2.02 2.33 2.51 II	431	11.06	15.54		2.69			
435 8.34 11.71 2,835 2.02 2.33 2.51 II								
	435	8.34	11.71	2,835	2.02	2.33	2.51	II
	441	2.58	3.62	1,055	0.63	0.72	0.78	II

Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

	BUREAU*	Proved Effective Dec ASSIGNED	ASSIGNED		ERIENCE RA		
CODE	ADVISORY	RISK MANUAL	RISK MIN			CTORS TABLE**	HAZ
NO	LOSS COSTS	RATE	PREM.	A-1	A-2	A-3	GRP
442	3.03	4.25	1,195	0.74	0.85	0.91	Ш
443	3.04		1,200				"
		4.27		0.74	0.85	0.92	
445	10.17	14.28	3,400	2.47	2.84	3.06	II II
446	2.91	4.09	1,160	0.71	0.81	0.88	II
447	8.05	11.31	2,750	1.96	2.25	2.43	Ш
449	5.76	8.09	2,040	1.40	1.61	1.74	II
451	7.04	9.88	2,435	1.71	1.97	2.12	П
454	10.02	14.08	3,360	2.43	2.80	3.02	II
456	6.06	8.50	2,130	1.47	1.69	1.83	Ш
457	11.98	16.81	3,450	2.91	3.35	3.61	II
458	4.14	5.81	1,540	1.01	1.16	1.25	Ш
459	2.45	3.45	1,020	0.60	0.69	0.74	II
461	6.20	8.72	2,180	1.51	1.74	1.87	II
460	2.50	4.00	1 240	0.05	0.00	1.06	
463	3.50	4.92	1,340	0.85	0.98	1.06	II
464	5.77	8.10	2,040	1.40	1.61	1.74	II
465	5.35	7.52	1,915	1.30	1.50	1.61	III
467	5.63	7.90	2,000	1.37	1.57	1.70	II
471	3.13	4.41	1,230	0.76	0.88	0.95	II
472	3.10	4.35	1,215	0.75	0.87	0.93	II
473	3.28	4.60	1,270	0.80	0.92	0.99	II
474	1.47	2.06	715	0.36	0.41	0.44	II
475	5.66	7.95	2,010	1.37	1.58	1.71	III
476	2.51	3.51	1,030	0.61	0.70	0.75	II
477	4.56	6.41	1,670	1.11	1.28	1.38	Ш
483	2.02	2.85	885	0.49	0.57	0.61	II
485	2.94	4.13	1,170	0.71	0.82	0.89	II
486	3.87	5.44	1,455	0.94	1.08	1.17	II
487	2.53	3.54	1,040	0.61	0.71	0.76	ii
		4.00	=00		0.40		
488	1.42	1.99	700	0.34	0.40	0.43	II
489	2.10	2.95	910	0.51	0.59	0.63	II
491	5.01	7.04	1,810	1.22	1.40	1.51	II
495	7.04	9.88	2,435	1.71	1.97	2.12	II
497	3.10	4.35	1,215	0.75	0.87	0.93	II
499	5.66	7.95	2,010	1.37	1.58	1.71	III
501	5.35	7.52	1,915	1.30	1.50	1.61	III
502	6.15	8.64	2,160	1.49	1.72	1.85	II
506	3.62	5.08	1,380	0.88	1.01	1.09	II
507	6.22	8.74	2,185	1.51	1.74	1.88	III
509	10.30	14.47	3,445	2.50	2.88	3.11	III
509 511	12.25	17.20		2.50 2.97	2.00 3.42	3.69	III
511			3,450 b 2,645	2.97 1.87	3.42 2.16	2.33	III
512	7.71 a 5.89 d		b 2,645d 2,080	1.67	1.65	2.33 1.78	
535	5.09	; 6.27 7.19	1,840	1.43	1.65	1.76	
333	J.11	1.19	1,040	1.24	1.43	1.04	II

^{*} Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

a OD: \$1.54 Supplementary is not subject to experience or retrospective rating. Code as 0175.

b OD: \$2.17 Supplementary is not subject to experience or retrospective rating. Code as 0175.

c OD: \$0.60 Supplementary is not subject to experience or retrospective rating. Code as 0176.

d OD: \$0.83 Supplementary is not subject to experience or retrospective rating. Code as 0176.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

	APF BUREAU*	Proved Effective Dece			ewai Busines ERIENCE RA		
CODE	ADVISORY	ASSIGNED RISK MANUAL	ASSIGNED RISK MIN			CTORS TABLE**	HAZ
NO	LOSS COSTS	RATE	PREM.	A-1	A-2	A-3	GRP
	2000 000.0	10112		Α.	7	,,,	O
536	9.01	12.65	3,045	2.19	2.52	2.72	П
544	10.93	15.34	3,450	2.65	3.05	3.29	Ш
551	2.96	4.15	1,175	0.72	0.83	0.89	Ш
553	6.82	9.58	2,370	1.66	1.91	2.06	Ш
555	1.29	1.82	660	0.31	0.36	0.39	II
563	3.39	4.77	1,310	0.82	0.95	1.02	II
571	4.77	6.69	1,730	1.16	1.33	1.44	П
573	6.06	8.50	2,130	1.47	1.69	1.83	III
581	4.66	6.55	1,700	1.13	1.30	1.41	Ш
587	3.39	4.77	1,310	0.82	0.95	1.02	II
601	16.11	22.64	3,450	3.54	3.94	4.38	Ш
602	11.23	15.78	3,450 3,450	2.48	2.76	3.08	IV
603	18.02	25.30	3,450	4.00	4.46	4.96	IV
605	12.95	18.19					
607	14.69	20.64	3,450 3,450	2.87 3.29	3.20 3.66	3.56 4.08	III III
			2, 122				***
608	8.83	12.41	2,790	1.94	2.15	2.40	IV
609	8.78	12.34	2,790	1.94	2.15	2.40	IV
611	17.79	24.99	3,450	3.96	4.41	4.91	IV
615	22.06	30.98	3,450	4.89	5.45	6.07	IV
617	11.02	15.47	3,450	2.46	2.74	3.05	IV
625	10.19	14.31	3,215	2.26	2.52	2.80	Ш
643	18.53	26.02	3,450	2.75	3.06	3.41	III
645	10.24	14.38	3,130	2.20	2.45	2.72	IV
646	7.15	10.04	2,365	1.61	1.79	1.99	III
647	12.38	17.39	3,450	2.75	3.06	3.41	II
648	7.93	11.14	2,625	1.81	2.02	2.24	Ш
649	5.82	8.18	1,930	1.28	1.42	1.58	III
651	10.64	14.95		2.41	2.68	2.99	IV
652	14.19	19.94	3,415 3,450	3.28	3.65	4.07	III
653	11.67	16.39	3,450	2.59	2.88	3.21	III
			0, 100	2.00	2.00	0.2.	•••
654	10.71	15.05	3,365	2.37	2.64	2.94	IV
655	25.59	35.93	3,450	5.72	6.37	7.09	IV
656	13.52	19.00	3,450	3.00	3.34	3.72	IV
657	17.19	24.15	3,450	3.82	4.25	4.73	IV
658	11.67	16.38	3,450	2.56	2.86	3.18	III
659	25.09	35.23	3,450	5.63	6.27	6.98	IV
660	4.00	5.61	1,495	0.94	1.05	1.17	Ш
661	5.66	7.94	1,835	1.20	1.34	1.49	Ш
662	4.77	6.70	1,735	1.13	1.25	1.40	П
663	7.31	10.28	2,345	1.59	1.77	1.97	III
664	6.57	9.22	2,115	1.42	1.58	1.76	III
665	14.57	20.46	3,450	3.31	3.69	4.11	IV
666	10.10	14.19	3,210	2.26	2.51	2.80	III
667	3.43	4.81	1,255	0.76	0.85	0.94	III
668	8.80	12.36	2,850	1.98	2.20	2.45	II
550	0.00	12.00	2,550	1.50	2.20	2.10	"

Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

	APF BUREAU*	ASSIGNED	ASSIGNED		ewai Busines ERIENCE RA		
CODE	ADVISORY	RISK MANUAL	RISK MIN			CTORS TABLE**	HAZ
NO	LOSS COSTS	RATE	PREM.	A-1	A-2	A-3	GRP
669	12.25	17.20	3,450	2.70	3.00	3.34	IV
670	7.58	10.65	2,605	1.79	2.00	2.22	Ш
673	8.70	12.21	2,945	2.05	2.29	2.55	Ш
674	8.69	12.20	2,795	1.94	2.16	2.40	Ш
675	6.41	8.99	2,175	1.47	1.63	1.82	IV
676	9.07	12.73	2,915	2.03	2.26	2.51	IV
677	6.86	9.63	2,250	1.52	1.69	1.88	Ш
679	16.72	23.48	3,450	3.95	4.40	4.90	Ш
681	7.58	10.65	2,605	1.79	2.00	2.22	Ш
682	25.05	35.18	3,450	5.92	6.59	7.34	III
691	8.78	12.34	2,790	1.94	2.15	2.40	IV
693	10.64	14.95	3,415	2.41	2.68	2.99	IV
695	5.66	7.94	1,835	1.20	1.34	1.49	Ш
709	3.66	5.14	1,390	0.86	0.96	1.07	Ш
716	5.38	7.56	1,925	1.27	1.42	1.58	III
718	5.49	7.71	1,955	1.30	1.44	1.61	Ш
721	17.46	24.53	3,450	4.24	4.88	5.27	IV
744	2.75	3.87	1,110	0.67	0.77	0.83	П
751	2.44	3.43	1,015	0.59	0.68	0.74	Ш
752	1.38	1.93	685	0.33	0.38	0.41	III
753	6.92	9.73	2,400	1.68	1.94	2.09	III
755	4.20	5.91	1,560	1.02	1.18	1.27	Ш
757	2.31	3.25	975	0.56	0.65	0.70	Ш
759	6.10	8.57	2,145	1.48	1.70	1.84	Ш
801	10.64	14.94	3,450	2.65	3.20	3.59	II
803	27.27	38.30	3,450	6.79	8.20	9.21	Ш
804	4.55	6.39	1,665	1.13	1.37	1.54	Ш
805	7.69	10.81	2,640	1.92	2.31	2.60	Ш
806	12.74	17.88	3,450	3.17	3.83	4.30	Ш
807	9.31	13.06	3,135	2.32	2.80	3.14	III
808	13.26	18.62	3,450	3.30	3.99	4.48	Ш
809	7.04	9.88	2,435	1.75	2.12	2.38	Ш
811	11.98	16.81	3,450	2.98	3.60	4.04	Ш
812	10.09	14.16	3,375	2.51	3.03	3.40	Ш
813	7.37	10.36	2,540	1.84	2.22	2.49	II
814	6.74	9.47	2,345	1.68	2.03	2.28	II
815	5.96	8.36	2,100	1.48	1.79	2.01	Ш
816	3.45	4.85	1,325	0.86	1.04	1.17	Ш
817	11.44	16.07	3,450	2.85	3.44	3.86	III
818	4.27	6.00	1,580	1.06	1.28	1.44	III
819	1.25	1.76	645	0.31	0.38	0.42	Ш
820	4.29	6.03	1,585	1.07	1.29	1.45	Ш
821	9.22	12.95	3,110	2.30	2.77	3.11	III
825	5.95	8.35	2,095	1.48	1.79	2.01	II
855	8.87	12.47	3,005	2.21	2.67	3.00	III
857	12.91	18.14	3,450	3.22	3.89	4.36	Ш

Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

		proved Effective Dece					
CODE	BUREAU* ADVISORY	ASSIGNED RISK MANUAL	ASSIGNED RISK MIN		ERIENCE RA	CTORS TABLE**	HAZ
NO	LOSS COSTS	RATE	PREM.	A-1	A-2	A-3	GRP
858	12.23	17.18	3,450	3.05	3.68	4.13	Ш
859	14.08	19.78	3,450	3.51	4.24	4.76	Ш
860	14.08	19.78	3,450	3.51	4.24	4.76	Ш
861	9.94	13.97	3,335	2.48	2.99	3.36	Ш
862	12.74	17.88	3,450	3.17	3.83	4.30	II
865	3.50	4.92	1,340	0.87	1.05	1.18	II
867	7.37	10.36	2,540	1.84	2.22	2.49	II
877	4.13	5.79	1,535	1.03	1.24	1.39	- 1
879	5.29	7.43	1,895	1.32	1.59	1.79	II
880	6.74	9.47	2,345	1.68	2.03	2.28	II
881	4.35	6.12	1,605	1.09	1.31	1.47	II
882	10.26	14.41	3,430	2.55	3.09	3.46	Ш
883	3.31	4.64	1,280	0.82	0.99	1.12	Ш
884	1.44	2.01	700	0.36	0.43	0.48	Ш
885	4.87	6.84	1,765	1.21	1.47	1.64	II
886	4.09	5.74	1,525	1.02	1.23	1.38	II
887	1.96	2.75	865	0.49	0.59	0.66	П
889	0.66	0.92	460	0.16	0.20	0.22	П
890	0.72	1.02	485	0.18	0.22	0.24	Ш
891	1.74	2.44	795	0.43	0.52	0.59	II
895	0.77	1.08	500	0.19	0.23	0.26	II
896	4.02	5.64	1,500	1.00	1.21	1.36	Ш
897	3.94	5.55	1,480	0.98	1.19	1.33	- 1
898	4.98	6.99	1,800	1.24	1.50	1.68	Ш
899	2.91	4.09	1,160	0.72	0.88	0.98	II
903	0.74	1.04	490	0.18	0.22	0.25	Ш
904	3.80	5.34	1,435	0.95	1.14	1.28	Ш
907	8.98	12.61	3,035	2.24	2.70	3.03	II
910	14.99	21.05	3,450	3.73	4.51	5.06	Ш
911	7.58	10.64	2,600	1.89	2.28	2.56	II
914	4.13	5.79	1,535	1.03	1.24	1.39	ı
915	6.02	8.45	2,120	1.50	1.81	2.03	Ш
916	2.40	3.38	1,005	0.60	0.72	0.81	Ш
917	5.36	7.53	1,915	1.33	1.61	1.81	- 1
918	4.34	6.10	1,600	1.08	1.31	1.47	II
919	3.97	5.58	1,490	0.99	1.19	1.34	П
920	0.76	1.07	495	0.19	0.23	0.26	ii
921	6.93	9.74	2,405	1.73	2.09	2.34	ii
922	4.91	6.89	1,775	1.22	1.48	1.66	ii
923	5.29	7.43	1,895	1.32	1.59	1.79	II
924	4.91	6.89	1,775	1.22	1.48	1.66	II
925	2.83	3.99	1,140	0.71	0.85	0.96	 II
926	4.35	6.12	1,605	1.09	1.31	1.47	"
927	1.69	2.38	785	0.42	0.51	0.57	 II
928	3.31	4.64	1,280	0.82	0.99	1.12	II

Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

NO NO NO NO NO NO NO NO		APF BUREAU*	Proved Effective Dece					
NO LOSS COSTS RATE PREM. A-1 A-2 A-3 GRP	CODE		ASSIGNED	ASSIGNED				U 4.7
932 1.56 2.20 745 0.39 0.47 0.53 II 933 5.49 7.71 1.955 1.37 1.65 1.85 II 1.93 1.18 1.33 II 1.94 1.14 1.14 1.14 1.14 1.14 1.15								
933 5.49 7.71 1.955 1.37 1.65 1.85 II 934 3.93 5.53 1.475 0.98 1.18 1.33 II 935 2.59 3.64 1.060 0.64 0.78 0.87 II 936 0.97 1.36 560 0.24 0.29 0.33 II 937 21.63 30.38 3.450 5.39 6.51 7.30 II 939 8.24 11.57 2.805 2.05 2.48 2.78 III 940 8.14 11.44 2.775 2.03 2.45 2.75 II 941 4.05 5.69 1.510 1.01 1.22 1.37 II 942 4.35 6.12 1.605 1.09 1.31 1.47 II 943 9.94 13.96 3.330 2.47 2.99 3.36 II 944 4.39 6.16 1.615 1.09 1.32 1.48 II 946 6.04 8.48 2.125 1.21 1.47 1.55 II 946 6.04 8.48 2.125 1.50 1.82 2.04 II 947 9.08 12.76 3.065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 951 0.98 1.37 560 0.24 0.29 0.33 III 951 0.98 1.37 560 0.24 0.29 0.33 III 955 1.21 1.70 635 0.30 0.36 0.40 III 957 0.75 1.05 490 0.19 0.22 0.25 III 956 0.32 0.44 3.55 0.30 0.37 0.41 III 957 0.75 1.05 2.11 725 0.37 0.45 0.51 III 956 0.32 0.44 3.55 0.75 0.75 0.75 1.05 0.19 0.20 0.21 III 965 0.77 0.80 II 958 0.59 0.77 0.80 II 1.70 635 0.30 0.37 0.41 III 1.70 635 0.30 0.37 0.41 III 1.70 635 0.30 0.37 0.41 III 1.70 1.50 0.66 0.80 0.90 0.11 III 1.70 0.55 0.66 0.80 0.90 0.11 III 1.70 0.20 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 1.50 0.20 0.24 0.29 0.25 III 956 0.32 0.44 3.55 0.30 0.37 0.41 III 1.70 963 0.30 0.30 0.30 0.30 0.40 III 1.70 963 0.30 0.37 0.41 III 1.70 963 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.30 0.3	929	7.08	9.94	2,445	1.76	2.13	2.39	II
934 3.93 5.53 1,475 0.98 1.18 1.33 II 936 0.97 1.36 560 0.24 0.29 0.33 II 937 21.63 30.38 3,450 5.39 6.51 7.30 II 939 8.24 11.57 2.805 2.05 2.48 2.78 III 940 8.14 11.44 2.775 2.03 2.45 2.75 III 941 4.05 5.69 1,510 1.01 1.22 1.37 III 942 4.35 6.12 1,605 1.09 1.31 1.47 II 943 9.94 13.96 3.300 2.47 2.99 3.36 II 944 4.39 6.16 1.615 1.09 1.32 1.48 <t>II 945 4.88 6.85 1,765 1.21 1.47 1.65 I 946 6.04 8.48 2.125 1</t>	932	1.56	2.20	745	0.39	0.47	0.53	П
935 2.59 3.64 1.060 0.64 0.78 0.87	933	5.49	7.71	1,955	1.37	1.65	1.85	П
936	934	3.93	5.53	1,475	0.98	1.18	1.33	Ш
937 21.63 30.38 3.450 5.39 6.51 7.30 II 939 8.24 11.57 2.805 2.05 2.48 2.78 III 941 4.05 5.69 1.510 1.01 1.22 1.37 II 941 4.05 5.69 1.510 1.01 1.22 1.37 II 943 9.94 13.96 3.330 2.47 2.99 3.36 II 944 4.39 6.16 1.615 1.09 1.31 1.47 II 943 9.94 13.96 3.330 2.47 2.99 3.36 II 945 4.88 6.85 1.765 1.21 1.47 1.65 I 1.47 1.	935	2.59	3.64	1,060	0.64	0.78	0.87	II
939 8.24 11.57 2.805 2.05 2.48 2.78 III 940 8.14 11.44 2.775 2.03 2.45 2.75 II 941 4.05 5.69 1.510 1.01 1.22 1.37 III 942 4.35 6.12 1.605 1.09 1.31 1.47 II 943 9.94 13.96 3.330 2.47 2.99 3.36 II 944 4.39 6.16 1.615 1.09 1.32 1.48 II 945 4.88 6.85 1.765 1.21 1.47 1.65 I 946 6.04 8.48 2.125 1.50 1.82 2.04 II 947 9.08 12.76 3.065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 949 1.47 2.06 715 0.37 0.44 0.50 II 951 0.98 1.37 560 0.24 0.29 0.33 II 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1.860 1.29 1.56 1.75 II 955 0.32 0.44 355 0.08 0.09 0.11 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 II 958 1.87 2.63 840 0.47 0.56 0.63 II 959 2.67 3.75 1.085 0.66 0.80 0.90 II 960 6.69 9.40 2.330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 II 965 0.77 1.08 500 0.19 0.23 0.26 II 963 3.02 1.43 575 0.25 0.31 0.34 II 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1.700 1.10 1.23 1.37 III 967 7.22 10.15 2.495 1.80 2.17 2.44 III 968 7.22 10.15 2.495 1.80 2.17 2.44 III 970 12.35 17.34 3.450 3.07 3.71 4.17 II 971 6.20 8.71 2.775 1.480 0.99 1.19 1.34 II 973 3.97 5.58 1.490 0.99 1.19 1.33 I 974 5.04 7.09 1.820 1.26 1.52 1.70 II 975 3.94 5.55 1.480 0.98 1.19 1.33 I 976 2.58 3.63 1.060 0.64 0.78 0.87 II	936	0.97	1.36	560	0.24	0.29	0.33	П
940 8.14 11.44 2.775 2.03 2.45 2.75 II 941 4.05 5.69 1.510 1.01 1.22 1.37 II 1.47 1.94 1.396 3.330 2.47 2.99 3.36 II 1.47 1.94 1.396 3.330 2.47 2.99 3.36 II 1.47 1.65 1.99 1.32 1.48 II 1.47 1.65 II 1.47 II 1.47 1.	937	21.63	30.38	3,450	5.39	6.51	7.30	Ш
941 4.05 5.69 1,510 1.01 1.22 1.37 II 942 4.35 6.12 1,605 1.09 1.31 1.47 II 943 9.94 13.96 3,330 2.47 2.99 3.36 II 944 4.39 6.16 1,615 1.09 1.32 1.48 II 945 4.88 6.85 1,765 1.21 1.47 1.65 I 946 6.04 8.48 2,125 1.50 1.82 2.04 II 947 9.08 12.76 3,065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 951 0.98 1.37 560 0.24 0.29 0.33 III 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30	939	8.24	11.57	2,805	2.05	2.48	2.78	Ш
942 4.35 6.12 1,605 1.09 1.31 1.47 943 9.94 13.96 3,330 2.47 2.99 3.36 944 4.39 6.16 1,615 1.09 1.32 1.48 945 4.88 6.85 1,765 1.21 1.47 1.65 946 6.04 8.48 2,125 1.50 1.82 2.04 947 9.08 12.76 3,065 2.26 2.73 3.07 948 2.37 3.33 995 0.59 0.71 0.80 949 1.47 2.06 715 0.37 0.44 0.50 951 0.98 1.37 560 0.24 0.29 0.33 952 1.19 1.67 625 0.30 0.36 0.40 953 0.66 0.92 460 0.16 0.20 0.22 954 5.18 7.27 1,860 1.29 1.56 1.75 955 1.21 1.70 635 0.30 0.37 0.41 956 0.32 0.44 355 0.08 0.09 0.11 957 0.75 1.05 490 0.19 0.22 0.25 958 1.87 2.63 840 0.47 0.56 0.63 959 2.67 3.75 1,085 0.66 0.80 0.99 960 6.69 9.40 2,330 1.67 2.01 2.26 961 1.50 2.11 725 0.37 0.45 0.51 962 0.23 0.32 330 0.06 0.07 0.08 963 1.02 1.43 575 0.25 0.31 0.34 964 3.49 4.91 1,340 0.87 1.05 1.18 965 0.77 1.08 500 0.19 0.23 0.26 966 4.66 6.55 1,700 1.10 1.23 1.37 967 1.30 1.83 665 0.32 0.39 0.44 968 3.49 4.91 1,340 0.87 1.05 1.18 969 7.22 10.15 2,495 1.80 2.17 2.44 968 3.49 4.91 1,340 0.87 1.05 1.18 969 7.22 10.15 2,495 1.80 2.17 2.44 970 12.35 17.34 3,450 3.07 3.71 4.17 967 1.30 1.83 665 0.32 0.39 0.44 971 1.34 1.97 1.97 1.98 1.33 972 1.58 3.63 1.060 0.64 0.78 0.87 973 3.97 5.58 3.63 1.060 0.64 0.78 0.87 975 0.75 1.90 1.13 510 0.20 0.24 0.27 976 2.58 3.63 1.060 0.64 0.78 0.87 977 0.80 1.13 510 0.20 0.24 0.27	940	8.14	11.44	2,775	2.03	2.45	2.75	Ш
943 9.94 13.96 3,330 2.47 2.99 3.36 II 944 4.39 6.16 1,615 1.09 1.32 1.48 II 945 4.88 6.85 1,765 1.21 1.47 1.85 I 946 6.04 8.48 2,125 1.50 1.82 2.04 II 947 9.08 12.76 3,065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 949 1.47 2.06 715 0.37 0.44 0.50 II 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1.860 1.29	941	4.05	5.69	1,510	1.01	1.22	1.37	II
944 4.39 6.16 1,615 1.09 1.32 1.48 II 945 4.88 6.85 1,765 1.21 1.47 1.65 I 946 6.04 8.48 2,125 1.50 1.82 2.04 II 947 9.08 12.76 3.065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 949 1.47 2.06 715 0.37 0.44 0.50 II 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1.860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30	942	4.35	6.12	1,605	1.09	1.31	1.47	П
945 4.88 6.85 1,765 1.21 1.47 1.65 I 946 6.04 8.48 2,125 1.50 1.82 2.04 II 947 9.08 12.76 3,065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 951 0.98 1.37 560 0.24 0.29 0.33 III 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1,860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30	943	9.94	13.96	3,330	2.47	2.99	3.36	Ш
945 4.88 6.85 1,765 1.21 1.47 1.65 I 946 6.04 8.48 2,125 1.50 1.62 2.04 II 947 9.08 12.76 3,065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1.860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19	944	4.39	6.16		1.09	1.32	1.48	Ш
946 6.04 8.48 2,125 1.50 1.82 2.04 II 947 9.08 12.76 3,065 2.26 2.73 3.07 II 948 2.37 3.33 995 0.59 0.71 0.80 II 949 1.47 2.06 715 0.37 0.44 0.50 II 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1.860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19	945	4.88						
948 2.37 3.33 995 0.59 0.71 0.80 II 949 1.47 2.06 715 0.37 0.44 0.50 II 951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1.860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66								II
949	947	9.08	12.76	3,065	2.26	2.73	3.07	II
951 0.98 1.37 560 0.24 0.29 0.33 III 952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1,860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06	948	2.37	3.33	995	0.59	0.71	0.80	Ш
952 1.19 1.67 625 0.30 0.36 0.40 III 953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1,860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1.085 0.66 0.80 0.90 II 960 6.69 9.40 2.330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06	949	1.47	2.06	715	0.37	0.44	0.50	Ш
953 0.66 0.92 460 0.16 0.20 0.22 II 954 5.18 7.27 1,860 1.29 1.56 1.75 III 955 5.121 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25	951	0.98	1.37	560	0.24	0.29	0.33	Ш
954 5.18 7.27 1,860 1.29 1.56 1.75 III 955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87	952	1.19	1.67	625	0.30	0.36	0.40	III
955 1.21 1.70 635 0.30 0.37 0.41 III 956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19	953	0.66	0.92	460	0.16	0.20	0.22	П
956 0.32 0.44 355 0.08 0.09 0.11 III 957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10	954	5.18	7.27	1,860	1.29	1.56	1.75	Ш
957 0.75 1.05 490 0.19 0.22 0.25 III 958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 968 3.49 4.90 1,340 0.87	955	1.21	1.70	635	0.30	0.37	0.41	Ш
958 1.87 2.63 840 0.47 0.56 0.63 III 959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87	956	0.32	0.44	355	0.08	0.09	0.11	III
959 2.67 3.75 1,085 0.66 0.80 0.90 II 960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80	957	0.75	1.05	490	0.19	0.22	0.25	Ш
960 6.69 9.40 2,330 1.67 2.01 2.26 II 961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 <td>958</td> <td>1.87</td> <td>2.63</td> <td>840</td> <td>0.47</td> <td>0.56</td> <td>0.63</td> <td>Ш</td>	958	1.87	2.63	840	0.47	0.56	0.63	Ш
961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 <td>959</td> <td>2.67</td> <td>3.75</td> <td>1,085</td> <td>0.66</td> <td>0.80</td> <td>0.90</td> <td>П</td>	959	2.67	3.75	1,085	0.66	0.80	0.90	П
961 1.50 2.11 725 0.37 0.45 0.51 III 962 0.23 0.32 330 0.06 0.07 0.08 III 963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 <td>960</td> <td>6.69</td> <td>9.40</td> <td>2,330</td> <td>1.67</td> <td>2.01</td> <td>2.26</td> <td>Ш</td>	960	6.69	9.40	2,330	1.67	2.01	2.26	Ш
963 1.02 1.43 575 0.25 0.31 0.34 II 964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 975 3.94 5.55 1,480 0.98 </td <td>961</td> <td>1.50</td> <td>2.11</td> <td>725</td> <td>0.37</td> <td>0.45</td> <td>0.51</td> <td>Ш</td>	961	1.50	2.11	725	0.37	0.45	0.51	Ш
964 3.49 4.91 1,340 0.87 1.05 1.18 I 965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98	962	0.23	0.32	330	0.06	0.07	0.08	III
965 0.77 1.08 500 0.19 0.23 0.26 II 966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64	963	1.02	1.43	575	0.25	0.31	0.34	П
966 4.66 6.55 1,700 1.10 1.23 1.37 III 967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20	964	3.49	4.91	1,340	0.87	1.05	1.18	- 1
967 1.30 1.83 665 0.32 0.39 0.44 III 968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	965	0.77	1.08	500	0.19	0.23	0.26	Ш
968 3.49 4.90 1,340 0.87 1.05 1.18 II 969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	966	4.66	6.55	1,700	1.10	1.23	1.37	Ш
969 7.22 10.15 2,495 1.80 2.17 2.44 III 970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	967	1.30	1.83	665	0.32	0.39	0.44	III
970 12.35 17.34 3,450 3.07 3.71 4.17 II 971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	968	3.49	4.90	1,340	0.87	1.05	1.18	II
971 6.20 8.71 2,175 1.54 1.87 2.09 II 973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	969	7.22	10.15		1.80		2.44	Ш
973 3.97 5.58 1,490 0.99 1.19 1.34 II 974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	970	12.35	17.34	3,450	3.07	3.71	4.17	II
974 5.04 7.09 1,820 1.26 1.52 1.70 II 975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II		6.20	8.71	2,175	1.54		2.09	II
975 3.94 5.55 1,480 0.98 1.19 1.33 I 976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II	973	3.97	5.58	1,490	0.99	1.19	1.34	II
976 2.58 3.63 1,060 0.64 0.78 0.87 II 977 0.80 1.13 510 0.20 0.24 0.27 II		5.04		1,820	1.26	1.52	1.70	II
977 0.80 1.13 510 0.20 0.24 0.27 II	975	3.94	5.55	1,480	0.98	1.19	1.33	- 1
	976	2.58	3.63	1,060	0.64	0.78	0.87	II
978 4.89 6.86 1,770 1.22 1.47 1.65 III	977	0.80	1.13	510	0.20	0.24	0.27	II
	978	4.89	6.86	1,770	1.22	1.47	1.65	Ш

Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

MANUAL RATES, LOSS COSTS AND EXPECTED LOSS FACTORS FOR DELAWARE COMPENSATION INSURANCE

Approved Effective December 1, 2006 on New and Renewal Business

		proved Effective Dece		lew and Ren	ewal Busines	ss	
	BUREAU*	BUREAU* ASSIGNED	ASSIGNED	EXPERIENCE RATING PLAN			
CODE	ADVISORY	RISK MANUAL	RISK MIN	EXPECT	ED LOSS FA	CTORS TABLE**	HAZ
NO	LOSS COSTS	RATE	PREM.	A-1	A-2	A-3	GRP
979	6.85	9.62	2,375	1.71	2.06	2.31	II
980	5.81	8.17	2,055	1.45	1.75	1.96	Ш
981	4.38	6.14	1,610	1.09	1.32	1.48	II
983	10.09	14.16	3,375	2.51	3.03	3.40	II
984	0.59	0.82	440	0.15	0.18	0.20	II
985	7.03	9.87	2,430	1.75	2.11	2.37	III
986	2.10	2.94	905	0.52	0.63	0.71	II
988	0.28	0.39	345	0.07	0.08	0.09	II
991	12.35	17.34	3,450	3.07	3.71	4.17	II
992	7.04	9.88	2,435	1.75	2.12	2.38	III
995	12.97	18.22	3,450	3.23	3.90	4.38	III
997	1.28	1.80	655	0.32	0.39	0.43	II
999	7.98	11.22	2,730	1.99	2.40	2.70	Ш
4771	7.72	10.85	3,250	1.88	2.16	2.33	IV
0771	1.94	2.73					IV
4777	11.98	16.81	3,450	2.98	3.60	4.04	III
7405	2.13	2.99	1,140	0.53	0.64	0.72	Ш
7445	0.71	1.00	, -				IV
7413	2.32	3.27	1,130	0.58	0.70	0.79	IV
7453	0.49	0.69	,				IV
7421	2.81	3.95	1,130	0.70	0.85	0.95	III
7421	6.64	9.33	2,315	1.65	2.00	2.24	IV
7424	2.68	9.33 3.76	1,085	0.67	0.81	0.90	II
9108	73.13	102.71	1,065	0.67	0.61	0.90	 I
9740	0.02	0.03					1
9741	0.01	0.01					
Per capita	a						
0908	139.19	195.50	456	34.66	41.87	46.99	II
0909	102.95	144.58	405	25.63	30.97	34.76	ii
0912	346.76	487.03	747	86.35	104.32	117.08	 II
0913	441.51	620.11	880	109.94	132.83	149.07	II
A rated							
9985	А	Α	Α	Α	Α	Α	

^{*} Loss, loss adjustment expense and administrative fund assessment provision for use in conjunction with individual carrier expense provisions in writing non-assigned risk business.

Associated classes- both codes must be applied. The second code is not subject to experience rating and applies to the full payroll of the associated class.

^{**} Table A-1 applies to the most current policy year, Table A-2 to the first prior policy year, and Table A-3 to the second prior policy year.

Excess Loss Pure Premium Factors including ALAE

	Hazard Group					
Loss Limit	I	II	III	IV		
LIIIIII	I	11	111	IV		
\$10,000	0.796	0.810	0.852	0.880		
\$15,000	0.765	0.779	0.830	0.862		
\$20,000	0.734	0.751	0.813	0.849		
\$25,000	0.707	0.725	0.795	0.836		
\$30,000	0.681	0.706	0.778	0.827		
\$35,000	0.661	0.687	0.764	0.817		
\$40,000	0.642	0.668	0.751	0.808		
\$50,000	0.604	0.639	0.728	0.790		
\$75,000	0.534	0.573	0.680	0.749		
\$100,000	0.482	0.524	0.642	0.721		
\$125,000	0.440	0.483	0.609	0.692		
\$150,000	0.404	0.453	0.579	0.668		
\$175,000	0.374	0.423	0.553	0.643		
\$200,000	0.347	0.395	0.528	0.621		
\$225,000	0.323	0.373	0.505	0.599		
\$250,000	0.306	0.352	0.482	0.576		
\$275,000	0.289	0.331	0.461	0.556		
\$300,000	0.273	0.313	0.441	0.536		
\$325,000	0.258	0.299	0.424	0.519		
\$350,000	0.245	0.284	0.407	0.501		
\$375,000	0.233	0.271	0.390	0.486		
\$400,000	0.223	0.261	0.377	0.470		
\$425,000	0.214	0.250	0.363	0.455		
\$450,000	0.205	0.240	0.350	0.439		
\$475,000	0.197	0.232	0.338	0.426		
\$500,000	0.189	0.224	0.327	0.413		
\$600,000	0.165	0.195	0.287	0.371		
\$700,000	0.146	0.174	0.258	0.334		
\$800,000	0.134	0.157	0.234	0.303		
\$900,000	0.121	0.144	0.215	0.280		
\$1,000,000	0.1118	0.1322	0.1992	0.2591		
\$1,500,000	0.0821	0.0969	0.1461	0.1907		
\$2,000,000	0.0657	0.0777	0.1165	0.1525		
\$3,000,000	0.0484	0.0567	0.0844	0.1101		
\$4,000,000	0.0392	0.0458	0.0675	0.0873		
\$5,000,000 \$6,000,000	0.0334	0.0392	0.0568	0.0733		
\$6,000,000	0.0293	0.0340	0.0495	0.0631		
\$7,000,000	0.0266	0.0304	0.0442	0.0562		
\$8,000,000	0.0244	0.0279	0.0403	0.0509		
\$9,000,000	0.0226	0.0259	0.0368	0.0465		
\$10,000,000	0.0212	0.0243	0.0342	0.0427		

Excess Loss Pure Premium Factors

		Hazard	Group	
Loss Limit	1	II	III	IV
\$10,000	0.744	0.758	0.798	0.824
\$15,000	0.716	0.729	0.778	0.806
\$20,000	0.688	0.703	0.761	0.795
\$25,000	0.662	0.679	0.744	0.783
\$30,000	0.638	0.661	0.727	0.774
\$35,000	0.618	0.643	0.715	0.765
\$40,000	0.600	0.625	0.703	0.756
\$50,000	0.565	0.598	0.681	0.739
\$75,000	0.500	0.536	0.636	0.701
\$100,000	0.451	0.490	0.600	0.674
\$125,000	0.412	0.452	0.570	0.647
\$150,000	0.378	0.424	0.542	0.625
\$175,000	0.350	0.396	0.517	0.604
\$200,000	0.325	0.370	0.495	0.582
\$225,000	0.303	0.350	0.473	0.561
\$250,000	0.286	0.330	0.451	0.539
\$275,000	0.271	0.310	0.431	0.522
\$300,000	0.256	0.293	0.413	0.504
\$325,000	0.242	0.280	0.397	0.487
\$350,000	0.230	0.268	0.381	0.469
\$375,000	0.219	0.256	0.365	0.455
\$400,000	0.209	0.245	0.352	0.440
\$425,000	0.200	0.235	0.340	0.426
\$450,000	0.192	0.226	0.328	0.411
\$475,000	0.185	0.217	0.317	0.399
\$500,000	0.178	0.210	0.307	0.387
\$600,000	0.155	0.183	0.269	0.347
\$700,000	0.138	0.163	0.242	0.313
\$800,000	0.126	0.147	0.219	0.284
\$900,000	0.114	0.135	0.201	0.262
\$1,000,000	0.1049	0.1240	0.1867	0.2427
\$1,500,000	0.0771	0.0909	0.1370	0.1787
\$2,000,000	0.0618	0.0730	0.1092	0.1429
\$3,000,000	0.0456	0.0533	0.0793	0.1033
\$4,000,000	0.0370	0.0432	0.0635	0.0820
\$5,000,000	0.0316	0.0369	0.0534	0.0689
\$6,000,000	0.0277	0.0321	0.0466	0.0593
\$7,000,000	0.0252	0.0288	0.0416	0.0529
\$8,000,000	0.0231	0.0264	0.0380	0.0480
\$9,000,000	0.0215	0.0245	0.0348	0.0438
\$10,000,000	0.0202	0.0231	0.0323	0.0402

Excess Loss Premium Factors including ALAE

	Hazard Group				
Loss Limit	I	II	III	IV	
LIIIII	Ī	11	111	IV	
\$10,000	0.581	0.591	0.622	0.642	
\$15,000	0.559	0.569	0.606	0.629	
\$20,000	0.536	0.549	0.593	0.620	
\$25,000	0.516	0.530	0.580	0.611	
\$30,000	0.497	0.516	0.567	0.604	
\$35,000	0.482	0.502	0.558	0.597	
\$40,000	0.468	0.488	0.549	0.590	
\$50,000	0.441	0.467	0.532	0.577	
\$75,000	0.390	0.419	0.496	0.547	
\$100,000	0.352	0.383	0.469	0.528	
\$125,000	0.322	0.353	0.445	0.509	
\$150,000	0.296	0.331	0.423	0.490	
\$175,000	0.274	0.309	0.404	0.474	
\$200,000	0.254	0.289	0.386	0.457	
\$225,000	0.237	0.273	0.369	0.441	
\$250,000	0.225	0.258	0.352	0.425	
\$275,000	0.212	0.242	0.337	0.408	
\$300,000	0.200	0.229	0.323	0.392	
\$325,000	0.190	0.219	0.311	0.379	
\$350,000	0.180	0.208	0.298	0.366	
\$375,000	0.171	0.199	0.286	0.354	
\$400,000	0.164	0.191	0.276	0.342	
\$425,000	0.157	0.183	0.266	0.332	
\$450,000	0.150	0.176	0.256	0.321	
\$475,000	0.145	0.169	0.248	0.312	
\$500,000	0.139	0.164	0.240	0.302	
\$600,000	0.121	0.144	0.211	0.271	
\$700,000	0.108	0.128	0.190	0.245	
\$800,000	0.099	0.116	0.172	0.222	
\$900,000	0.090	0.106	0.158	0.205	
\$1,000,000	0.0828	0.0977	0.1465	0.1901	
\$1,500,000	0.0612	0.0719	0.1078	0.1403	
\$2,000,000	0.0492	0.0579	0.0862	0.1124	
\$3,000,000	0.0366	0.0427	0.0629	0.0816	
\$4,000,000	0.0299	0.0347	0.0506	0.0650	
\$5,000,000	0.0257	0.0299	0.0427	0.0548	
\$6,000,000	0.0227	0.0261	0.0374	0.0473	
\$7,000,000	0.0208	0.0235	0.0335	0.0423	
\$8,000,000	0.0191	0.0217	0.0307	0.0385	
\$9,000,000	0.0178	0.0202	0.0282	0.0352	
\$10,000,000	0.0168	0.0191	0.0263	0.0324	

Excess Loss Premium Factors

	Hazard Group					
Loss Limit	I	II	III	IV		
LIIIIII	I	11	111	IV		
\$10,000	0.544	0.554	0.583	0.602		
\$15,000	0.524	0.533	0.568	0.589		
\$20,000	0.503	0.514	0.556	0.581		
\$25,000	0.484	0.496	0.544	0.574		
\$30,000	0.466	0.483	0.532	0.566		
\$35,000	0.453	0.470	0.523	0.559		
\$40,000	0.439	0.457	0.514	0.553		
\$50,000	0.413	0.437	0.498	0.541		
\$75,000	0.366	0.392	0.465	0.513		
\$100,000	0.330	0.359	0.439	0.494		
\$125,000	0.302	0.331	0.417	0.476		
\$150,000	0.277	0.311	0.397	0.459		
\$175,000	0.257	0.290	0.378	0.443		
\$200,000	0.239	0.271	0.362	0.426		
\$225,000	0.222	0.256	0.346	0.410		
\$250,000	0.211	0.242	0.330	0.396		
\$275,000	0.199	0.227	0.316	0.381		
\$300,000	0.188	0.215	0.303	0.367		
\$325,000	0.178	0.206	0.291	0.355		
\$350,000	0.169	0.196	0.279	0.343		
\$375,000	0.161	0.188	0.268	0.332		
\$400,000	0.154	0.180	0.259	0.321		
\$425,000	0.147	0.172	0.249	0.311		
\$450,000	0.141	0.165	0.240	0.301		
\$475,000	0.136	0.160	0.232	0.293		
\$500,000	0.130	0.154	0.225	0.284		
\$600,000	0.114	0.135	0.197	0.254		
\$700,000	0.101	0.120	0.178	0.230		
\$800,000	0.093	0.109	0.161	0.208		
\$900,000	0.084	0.100	0.148	0.192		
\$1,000,000	0.0779	0.0918	0.1375	0.1783		
\$1,500,000	0.0576	0.0677	0.1013	0.1317		
\$2,000,000	0.0464	0.0546	0.0810	0.1056		
\$3,000,000	0.0346	0.0403	0.0592	0.0767		
\$4,000,000	0.0284	0.0329	0.0477	0.0611		
\$5,000,000	0.0244	0.0283	0.0403	0.0516		
\$6,000,000	0.0216	0.0247	0.0353	0.0446		
\$7,000,000	0.0197	0.0223	0.0317	0.0399		
\$8,000,000	0.0182	0.0206	0.0291	0.0363		
\$9,000,000	0.0170	0.0192	0.0267	0.0333		
\$10,000,000	0.0161	0.0182	0.0249	0.0307		